



BOARD NAME: DJEL
ASSEMBLY LEVEL NUMBER: 95072020

PART NUMBER	DESCRIPTION AND DEVICE DESIGNATIONS	QTY	REF DES	DESCRIPTION	QTY	REF DES	DESCRIPTION	QTY	REF DES	DESCRIPTION
70320105	.047MFD 450 VOLT T&R CAP	1	70320113	2200 MFD 35VDC RADIAL LYTIC	4	70900788	SPACER, 1/8,R(#4),.187 SWAGE ALJM.	1	70240014	330-1/4W-5%-CF-T&R
70340057	270PF-10%-50VDC-T/C-T&R	1	70320C38	1000 MFD 35VDC LYTIC CAP	5	70600039	5 CONDUCTOR - 1.5* jmpg w/ feed-to conn.	1	70240015	470-1/4W-5%-CF-T&R
70340056	.047MFD 450 VOLT T&R CAP	1	70320C12	22MFD +/-20% 25VDC EL AXL	2	70465919	SKA-3919 TO92 NPN TRANS T&A	1	70240034	100K-1/4W-5%-CF-T&R
70340056	180PF-10%-50VDC-T/C-T&R	1	70340056	180PF-10%-50VDC-T/C-T&R	3	70466531	Q1, Q2	1	70240010	100-1/4W-5%-CF-T&R
70320012	22MFD +/-20% 25VDC EL AXL	1	70340008	.0068MFD-10%-50VDC-MON-T&R	1	70460231	Q3, Q4, Q5	1	70240025	10K-1/4W-5%-CF-T&R
70320096	.1 MFD 250VDC MYLAR CA/BR	1	70340002	.0015MFD-10%-50VDC-T/C-T&R	1	70466531	2N5951-3586-J231 40V N-CHANNEL FET T&A	1	70240050	MPS-6531 TO92 NPN TRANS. T&A
70330007	.22MFD 100VDC 5% MYLAR	1	70340058	470PF-10%-50VDC-T/C-T&R	1	70465919	Q6	1	70240034	MPS-6531 TO92 NPN TRANS. T&A
70340111	.1MFD-10%-50VDC-MON-T&R	1	70340000	.001MFD-10%-50VDC-MON-T&R	3	70466531	Q7	1	70240034	SKA-3919 TO92 NPN TRANS T&A
70340017	.047MFD-10%-50VDC-MON-T&R	1	70340100	.1MFD+80-20%-50VDC-AXL-T&R	1	70460761	Q8	1	70240025	MPS-6531 TO92 NPN TRANS. T&A
70340111	.1MFD-10%-50VDC-MON-T&R	2	70340052	39PF-50VDC-T/C-T&R	1	70465904	Q9, Q10, Q11	1	70240023	761/2N5400 120V 10MA TO-92 PNP T&A
70340052	39PF-50VDC-T/C-T&R	2	70340001	.1MFD-10%-50VDC-MON-T&R	1	70460174	Q12	1	70240017	3904/SP57239 TO 92 NPN
70330007	.22MFD 100VDC 5% MYLAR	1	70320C12	22MFD +/-20% 25VDC EL AXL	1	70466533	Q13	1	70250050	J-174 30V TO-92 P-CHAN FET T&A
70320012	22MFD +/-20% 25VDC EL AXL	1	70340100	.1MFD+80-20%-50VDC-AXL-T&R	1	70466531	Q14	1	70210005	MPS-6533/34 TO-92 PNP TRANS T&A
70340058	470PF-10%-50VDC-T/C-T&R	2	70340050	10PF-5%-T/C-T&R	1	70240036	Q15	1	70210018	MPS-6531 TO92 NPN TRANS.
70340017	.047MFD-10%-50VDC-MON-T&R	1	70320C13	47 MFD 50VDC LYTIC CAP	1	70240029	Q16	2	70210008	220K-1W-5%-MO-T&R
70320012	22MFD +/-20% 25VDC EL AXL	1	70320200	2.2MFD 35VDC LY.CAP T&R	1	70240035	R1	1	70240033	22K-1/4W-5%-CF-T&R
70320117	.33MFD-10%-400VDC-MYLAR-R/W	2	70320C96	.1 MFD 250VDC MYLAR CA/BR	1	70240034	R2	1	70240033	10K-1/4W-5%-CF-T&R
70340058	470PF-10%-50VDC-T/C-T&R	4	70464148	1N4148 75V 10MA SILICON DIODE	1	70240002	R3	2	70210008	100K-1W-5%-MO-T&R
70340057	270PF-10%-50VDC-T/C-T&R	4	7046407	1N4007 1KV, 1A, SILICON DIODE	1	70240025	R4	1	70240034	4.7K-1/4W-5%-CF-T&R
70320160	.001MFD 630VDC B-BOX	6	70464C03	1N4003 200V SILICON DIODE	1	70240017	R5	1	70240034	100K-1/4W-5%-CF-T&R
70320106	.022 MFD 400V RADIAL MYLAR	3	70464148	1N4148 75V 10MA SILICON DIODE	1	70240040	R6	1	70240015	470-1/4W-5%-CF-T&R
70340058	470PF-10%-50VDC-T/C-T&R	1	70460C97	MAC97-6 400V .6A TO-92 TRIAC T&A	1	70240034	R7	1	70210018	100K-1W-5%-MO-T&R
70340016	.0033MFD-10%-50VDC-T/C-T&R	1	70464148	1N4148 75V 10MA SILICON DIODE	1	70240017	R8	1	70240023	4.7K-1/4W-5%-CF-T&R
70340011	.01MFD-10%-50VDC-T/C-T&R	1	70900133	AGC 2 AMP FUSE	1	70240031	R9	1	70240039	47K-1/4W-5%-CF-T&R
70320012	22MFD +/-20% 25VDC EL AXL	1	70900520	8 AMP F/B FUSE WITH 2 FUSECLIPS #70900816	1	70240040	R10	1	70240036	220K-1/4W-5%-CF-T&R
70340012	.022MFD-10%-50VDC-MON-T&R	2	70900085	AGC 1 AMP FUSE with 2 fuseclips #70900816	1	70240023	R11	2	70210007	1.5K-1W-5%-MO-T&R
70340063	.47MFD 50V LOW LEAKAGE	5	71466164	JK R/A 12.5MM NIN MONO -88	2	70240040	R12	1	70240023	4.7K-1/4W-5%-CF-T&R
70320012	22MFD +/-20% 25VDC EL AXL	1	71466226	J1, J2, J3, J4, J5	1	70240038	R13	2	70240100	22PF-1/4W-5%-FP
70340017	.047MFD-10%-50VDC-MON-T&R	28	73717003	CONN 7P R/A PCMT DIN W/ 4 MNT. HOLES	1	70240029	R14	1	70240034	100K-1/4W-5%-CF-T&R
70320096	.1 MFD 250VDC MYLAR CA/BR	1	73717003	1 STAKE PIN	1	70240040	R15	1	70240015	470-1/4W-5%-CF-T&R
70320200	2.2MFD 35VDC LY.CAP T&R	8	73717003	J7, J8, J9, J10, J11, J12, J13, J14, J15, J16, J17, J18, J19, J20, J21, J22, J23, J24, J25, J26, J27, J28, J29, J30, J31, J32, J33, J34	1	70240017	R16	1	70240040	2.2M-1/4W-5%-CF-T&R
70340000	.001MFD-10%-50VDC-MON-T&R	3	73717003	R93-12 PN C.B. MALE MOLEX PIN	1	70240029	R17	1	70240031	47K-1/4W-5%-CF-T&R
70340052	39PF-50VDC-T/C-T&R	1	73717003	J35, J36, J37, J38, J39, J40, J41, J42	1	70240031	R18	1	70240034	100K-1/4W-5%-CF-T&R
70320117	.33MFD-10%-400VDC-MYLAR-R/W	2	73717003	1 STAKE PIN	2	70240018	R19	1	70240023	4.7K-1/4W-5%-CF-T&R
70320012	22MFD +/-20% 25VDC EL AXL	1	73717003	J43, C44, J45	1	70240040	R20	2	70240100	22PF-1/4W-5%-FP
70340018	.068MFD-10%-50VDC-MON-T&R	2	73717003	R93-12 PN C.B. MALE MOLEX PIN	1	70240040	R21	1	70240038	470K-1/4W-5%-CF-T&R
70320012	22MFD +/-20% 25VDC EL AXL	1	73717003	1 STAKE PIN	1	70240048	R22	1	70240030	33K-1/4W-5%-CF-T&R
70320099	.01 MFD 1000VDC CD -UNCUT	2	73717003	J46	1	70240030	R23	1	70240036	220K-1/4W-5%-CF-T&R
70320020	22 MFD 450VDC LYTIC CAP	1	73717003	1 STAKE PIN	1	70240035	R24	1	70240031	47K-1/4W-5%-CF-T&R
70320169	330 MFD 350 VDC VERT. SNAP-IN	1	73717003	J47, J48	1	70240034	R25	1	70240021	2.7K-1/4W-5%-CF-T&R
70320130	100 MFD 350VDC RADIAL SNAP-IN	1	73717003	M118-171 C.B. FEMALE MOLEX PIN	1	70240034	R26	1	70240017	1K-1/4W-5%-CF-T&R
70320005	.47MFD 500VDC ELECTROLYTIC -AXIAL	1	71466214	J49	1	70240036	R27	1	70240039	1M-1/4W-5%-CF-T&R
70320020	22 MFD 450VDC LYTIC CAP	1	73717003	1 STAKE PIN	1	70240036	R28	1	70240008	47-1/4W-5%-CF-T&R
70320105	.047MFD 450 VOLT T&R CAP	1	73717003	J50, J51	1	70240038	R29	1	70240023	4.7K-1/4W-5%-CF-T&R
70320169	330 MFD 350 VDC VERT. SNAP-IN	1	73717003	M118-171 C.B. FEMALE MOLEX PIN	1	70240030	R30	1	70240008	47-1/4W-5%-CF-T&R
70320130	100 MFD 350VDC RADIAL SNAP-IN	1	71466214	J52	1	70240030	R31	1	70240029	22K-1/4W-5%-CF-T&R
70320105	.047MFD 450 VOLT T&R CAP	1	73717003	1 STAKE PIN	1	70240035	R32	1	70240008	47-1/4W-5%-CF-T&R
70320099	.01 MFD 1000VDC CD -UNCUT	1	73717003	J53, J54	1	70240034	R33	1	70240025	10K-1/4W-5%-CF-T&R
70320113	2200 MFD 35VDC RADIAL LYTIC	1	73717003	R93-12 PN C.B. MALE MOLEX PIN	1	70240034	R34	1	70240020	2.2K-1/4W-5%-CF-T&R
70320038	1000 MFD 35VDC LYTIC CAP	1	73717003	J55	1	70240036	R35	1	70240031	47K-1/4W-5%-CF-T&R
70340007	.0047MFD-10%-50VDC-MON-T&R	2	73717003	1 STAKE PIN	1	70240032	R36	1	70240029	22K-1/4W-5%-CF-T&R
			73717003	J56, J57, J58, J59, J60	2	70240032	R37	1	70240025	10K-1/4W-5%-CF-T&R
			73717003	2 TIP HID JACK NINS W/SPD	1	70240038	R38	1	70240039	1M-1/4W-5%-CF-T&R
			73717003	R93-12 PN C.B. MALE MOLEX PIN	1	70240038	R39	1	70240039	1M-1/4W-5%-CF-T&R
			73717003	1 STAKE PIN	1	70240017	R40	1	70240034	100K-1/4W-5%-CF-T&R
			73717003	J61	1	70240017	R41	1	70240034	100K-1/4W-5%-CF-T&R
			73717003	J62	1	70240017	R42	1	70240034	100K-1/4W-5%-CF-T&R
			73717003	1 STAKE PIN	1	70240017	R43	1	70240034	100K-1/4W-5%-CF-T&R
			73717003	J63	1	70240017	R44	1	70240034	100K-1/4W-5%-CF-T&R
			73717003	R93-12 PN C.B. MALE MOLEX PIN	1	70240017	R45	1	70240034	100K-1/4W-5%-CF-T&R
			73717003	J64	1	70240017	R46	1	70240034	100K-1/4W-5%-CF-T&R
			73717003	2 TIP HID JACK NINS W/SPD	1	70240017	R47	1	70240034	100K-1/4W-5%-CF-T&R
			73717003	J65	1	70240038		1	70240034	100K-1/4W-5%-CF-T&R
			73717003	1 STAKE PIN	1	70240038		1	70240034	100K-1/4W-5%-CF-T&R
			73717003	R93-12 PN C.B. MALE MOLEX PIN	1	70240038		1	70240034	100K-1/4W-5%-CF-T&R
			73717003	J66	1	70240038		1	70240034	100K-1/4W-5%-CF-T&R
			73717003	1 STAKE PIN	1	70240038		1	70240034	100K-1/4W-5%-CF-T&R
			73717003	J67, J68, J69	1	70240038		1	70240034	100K-1/4W-5%-CF-T&R
			73717003	1 STAKE PIN	1	70240038		1	70240034	100K-1/4W-5%-CF-T&R
			73717003	J70	2	70240038		1	70240034	100K-1/4W-5%-CF-T&R
			73717003	1 STAKE PIN	1	70240038		1	70240034	100K-1/4W-5%-CF-T&R
			73717003	J71	1	70240038		1	70240034	100K-1/4W-5%-CF-T&R
			73717003	1 STAKE PIN	1	70240038		1	70240034	100K-1/4W-5%-CF-T&R
			73717003	J72	1	70240038		1	70240034	100K-1/4W-5%-CF-T&R
			73717003	1 STAKE PIN	1	70240038		1	70240034	100K-1/4W-5%-CF-T&R
			73717003	J73	1	70240038		1	70240034	100K-1/4W-5%-CF-T&R
			73717003	1 STAKE PIN	1	70240038		1	70240034	100K-1/4W-5%-CF-T&R



NOTICE: THIS CIRCUITRY IS PROTECTED BY
 U.S. PATENT NO.# 5,197,102 OWNED
 BY PEAVEY ELECTRONICS CORPORATION.
 USE OR COPYING WITHOUT EXPRESS WRITTEN
 AUTHORITY FROM PEAVEY IS STRICTLY
 FORBIDDEN AND VIOLATORS WILL BE
 PROSECUTED TO THE FULLEST EXTENT
 ALLOWED UNDER U.S. PATENT LAWS.

PEAVEY ELECTRONICS CORP. 711 A STREET MERIDIAN, MISSISSIPPI 39301			
TITLE DUEL 212 POWER BOARD 99872030			
SIZE B	CODE	NUMBER 81501581	REV
PRINT DATE	16-FEB-95	SHEET	1 OF 1



BOARD NAME: DUELPWR
 ASSEMBLY LEVEL NUMBER: 99072030

** QTY.	PART NUMBER	DESCRIPTION AND DEVICE DESIGNATIONS *****
1	70320014	100 MFD 25VDC LYTIC CAP C200
2	70340054	100PF—10%—50VDC—T/C—T&R C201, C202
2	70402873	SR2873 2KV, 250MA SILICON DIODE CR200, CR201
8	73711812	R93-12 PN C.B. MALE MOLEX PIN J1, J2, J3, J4, J5, J6, J7, J8
7	73717003	1 STAKE PIN J9, J10, J11, J12, J13, J14, J15
2	70210003	100-1W-5%-MO-T&R R200, R201
1	70240020	2.2K-1/4W-5%-CF-T&R R202
1	70250006	100-5W-10%-WW-AXL R203
1	70240020	2.2K-1/4W-5%-CF-T&R R204
1	70250006	100-5W-10%-WW-AXL R205
1	70240020	2.2K-1/4W-5%-CF-T&R R206
1	70250006	100-5W-10%-WW-AXL R207
1	70240020	2.2K-1/4W-5%-CF-T&R R208
1	70250006	100-5W-10%-WW-AXL R209
1	70250019	400-10W-10%-FP-AXL R210
4	70806604	6L6GC VACUUM TUBE W/8 PIN SOCKET V5, V6, V7, V8